ELSEVIER

Brain Research 800 (1998) 337–338

BRAIN RESEARCH

Author Index

Abrams, T.W., see Lin, A.H. (800) 300
Akaike, N., see Munakata, M. (800) 282
Akhter, P., see Fatemi, S.H. (800) 1
Alexiou, Ch., Zimmermann, J.P., Schick, R.R. and Schusdziarra, V.
Xenin—a novel suppressor of food intake in rats (800) 294
Asada, H., see Ding, R.-g. (800) 105

Bailey, K., see Fatemi, S.H. (800) 1
Barrenechea, C., see Pedemonte, M. (800) 145
Bernstein, I.L., see Schafe, G.E. (800) 40
Biessels, G.-J., Kamal, A., Urban, I.J.A., Spruijt, B.M., Erkelens, D.W. and Gispen, W.H.
Water maze learning and hippocampal synaptic plasticity in streptozotocin-diabetic rats: effects of insulin treatment (800) 125
Bogdanovic, N., see Idrizbegovic, E. (800) 86

Calvo, N., Martijena, I.D., Molina, V.A. and Volosin, M.
Metyrapone pretreatment prevents the behavioral and neurochemical sequelae induced by stress (800) 227
Canlon, B., see Idrizbegovic, E. (800) 86
Carr, R.W., Gregory, J.E. and Proske, U.
Summation of responses of cat muscle spindles to combined static and dynamic fusimotor stimulation (800) 97
Challet, E., Naylor, E., Metzger, J.M., MacIntyre, D.E. and Turek, F.W.
An NK_1 receptor antagonist affects the circadian regulation of locomotor activity in golden hamsters (800) 32
Chen, F., see Liu, H.-G. (800) 216
Conway, E.L.
Brain lesions and delayed water maze learning deficits after intracerebroventricular spermine (800) 10
Coscina, D.V., see Currie, P.J. (800) 62
Cowell, R.M., see Klintsova, A.Y. (800) 48
Currie, P.J., Coscina, D.V. and Fletcher, P.J.
Reversal of fenfluramine and fluoxetine anorexia by 8-OH-DPAT is attenuated following raphe injection of 5,7-dihydroxytryptamine (800) 62

Daval, J.-L., see Doriat, J.-F. (800) 114
De La Cruz, J.P., Villalobos, M.A., Sedeño, G. and Sánchez De La Cuesta, F.
Effect of propofol on oxidative stress in an in vitro model of anoxia-reoxygenation in the rat brain (800) 136
Ding, R.-g., Asada, H. and Obata, K.
Changes in extracellular glutamate and GABA levels in the hippocampal CA_3 and CA_1 areas and the induction of glutamic acid decarboxylase-67 in dentate granule cells of rats treated with kainic acid (800) 105
Doriat, J.-F., Koziel, V., Humbert, A.-C. and Daval, J.-L.
Medium- and long-term effects of repeated bicuculline-induced seizures in developing rats on local cerebral energy metabolism (800) 114
Dunn-Meynell, A.A., Hassanain, M. and Levin, B.E.
Norepinephrine and traumatic brain injury: a possible role in post-traumatic edema (800) 245
Dunwiddie, T.V., see Soldo, B.L. (800) 187

Ebert, U., see Löscher, W. (800) 21
Elphick, M.R. and Jones, I.W.
Localization of soluble guanylyl cyclase α-subunit in identified insect neurons (800) 174
Erkelens, D.W., see Biessels, G.-J. (800) 125

Fatemi, S.H., Sidwell, R., Kist, D., Akhter, P., Meltzer, H.Y., Bailey, K., Thuras, P. and Sedgwick, J.
Differential expression of synaptosome-associated protein 25 kDa [SNAP-25] in hippocampi of neonatal mice following exposure to human influenza virus in utero (800) 1
Fletcher, P.J., see Currie, P.J. (800) 62
Fujimoto, M., see Munakata, M. (800) 282
Fukumoto, S.-i., see Imamura, S.-i. (800) 323

Gambini, J.P., see Pedemonte, M. (800) 145
García-Austt, E., see Pedemonte, M. (800) 145
Gispen, W.H., see Biessels, G.-J. (800) 125
Glick, S.D., see Wei, D. (800) 260
Goodlett, C.R., see Klintsova, A.Y. (800) 48
Greenough, W.T., see Klintsova, A.Y. (800) 48
Gregory, J.E., see Carr, R.W. (800) 97

Harada, S., see Katano, H. (800) 69
Hassanain, M., see Dunn-Meynell, A.A. (800) 245
Helke, C.J., see Ichikawa, H. (800) 312
Herlenius, E., see Takita, K. (800) 308
Hoh, T.E., see Zibrowski, E.M. (800) 207
Hong, G.-X., see Liu, H.-G. (800) 216
Humbert, A.-C., see Doriat, J.-F. (800) 114

Ichikawa, H. and Helke, C.J.
Coexistence of S100β and putative transmitter agents in vagal and glossopharyngeal sensory neurons of the rat (800) 312
Idrizbegovic, E., Bogdanovic, N. and Canlon, B.
Modulating calbindin and parvalbumin immunoreactivity in the cochlear nucleus by moderate noise exposure in mice. A quantitative study on the dorsal and posteroventral cochlear nucleus (800) 86
Illes, P., see Poelchen, W. (800) 170
Imamura, S.-i., Tanaka, S., Tojo, H., Fukumoto, S.-i., Uetsuhara, K., Kuratsu, J.-i. and Takigawa, M.
Kainic acid-induced perirhinal cortical seizures in rats (800) 323
Ino-ue, M., Ohgiya, N. and Yamamoto, M.
Effect of aminoguanidine on optic nerve involvement in experimental diabetic rats (800) 319
Inoue, K., see Poelchen, W. (800) 170
Isobe, M., see Isobe, Y. (800) 78
Isobe, Y. and Isobe, M.
Circadian rhythm of Arg–vasopressin contents in the suprachiasmatic nucleus in relation to corticosterone (800) 78
Iwata, A., see Katano, H. (800) 69

Jin, Y.-H., see Munakata, M. (800) 282
Jones, I.W., see Elphick, M.R. (800) 174
Jones, P.A., Smith, R.A. and Stone, T.W.
Protection against hippocampal kainate excitotoxicity by intracerebral administration of an adenosine A_{2A} receptor antagonist (800) 328

Kamal, A., see Biessels, G.-J. (800) 125
Kanfer, J.N., see Singh, I.N. (800) 275
Katano, H., Masago, A., Harada, S., Iwata, A. and Yamada, K.
Differential induction of immediate early gene mRNAs following cryogenic and impact trauma with/without craniotomy in rats (800) 69
Kaufman, S., see Liang, L.P. (800) 181
Kist, D., see Fatemi, S.H. (800) 1
Klintsova, A.Y., Cowell, R.M., Swain, R.A., Napper, R.M.A., Goodlett, C.R. and Greenough, W.T.
Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats. I. Behavioral results (800) 48

Koziel, V., see Doriat, J.-F. (800) 114
Kuehne, M.E., see Wei, D. (800) 260
Kuratsu, J.-i., see Imamura, S.-i. (800) 323

Lappi, D.A., see Zhang, Z.-J. (800) 198
Lehmann, H., see Löscher, W. (800) 21
Levant, B.
Differential distribution of D_3 dopamine receptors in the brains of several mammalian species (800) 269
Levin, B.E., see Dunn-Meynell, A.A. (800) 245
Liang, L.P. and Kaufman, S.
The regulation of dopamine release from striatum slices by tetrahydrobiopterin and L-arginine-derived nitric oxide (800) 181
Lin, A.H., Onyike, C.U. and Abrams, T.W.
Sequence-dependent interactions between transient calcium and transmitter stimuli in activation of mammalian brain adenylyl cyclase (800) 300
Lindahl, S.G.E., see Takita, K. (800) 308
Liu, H.-G., Hong, G.-X., Wang, F.-B. and Chen, F.
Motoneurotrophins derived from limb buds protect the motoneurons in anterior spinal cord after nerve injury and promote nerve regeneration (800) 216
Löscher, W., Lehmann, H. and Ebert, U.
Differences in the distribution of GABA- and GAD-immunoreactive neurons in the anterior and posterior piriform cortex of rats (800) 21

MacIntyre, D.E., see Challet, E. (800) 32
Maisonneuve, I.M., see Wei, D. (800) 260
Martijena, I.D., see Calvo, N. (800) 227
Masago, A., see Katano, H. (800) 69
McCook, E.C., see Slotkin, T.A. (800) 236
Meltzer, H.Y., see Fatemi, S.H. (800) 1
Metzger, J.M., see Challet, E. (800) 32
Milner, T.A., see Zhang, Z.-J. (800) 198
Molina, V.A., see Calvo, N. (800) 227
Munakata, M., Fujimoto, M., Jin, Y.-H. and Akaike, N.
Characterization of electrogenic Na/K pump in rat neostriatal neurons (800) 282

Napper, R.M.A., see Klintsova, A.Y. (800) 48
Naylor, E., see Challet, E. (800) 32
Niu, Y.-P., Xiao, M.-Y. and Wigström, H.
Variability of AMPA and NMDA receptor mediated responses in CA1 pyramidal cells of young rats (800) 253
Nuñez, A., see Pedemonte, M. (800) 145

Obata, K., see Ding, R.-g. (800) 105
Ohgiya, N., see Ino-ue, M. (800) 319
Onyike, C.U., see Lin, A.H. (800) 300

Pedemonte, M., Barrenechea, C., Nuñez, A., Gambini, J.P. and García-Austt, E.
Membrane and circuit properties of lateral septum neurons: relationships with hippocampal rhythms (800) 145
Perkins, M., see Waraczynski, M. (800) 154
Poelchen, W., Sieler, D., Inoue, K. and Illes, P.
Effect of extracellular adenosine 5′-triphosphate on principal neurons of the rat ventral tegmental area (800) 170
Proctor, W.R., see Soldo, B.L. (800) 187
Proske, U., see Carr, R.W. (800) 97

Sánchez De La Cuesta, F., see De La Cruz, J.P. (800) 136
Schafe, G.E. and Bernstein, I.L.
Forebrain contribution to the induction of a brainstem correlate of conditioned taste aversion. II. Insular (gustatory) cortex (800) 40
Schick, R.R., see Alexiou, Ch. (800) 294
Schusdziarra, V., see Alexiou, Ch. (800) 294
Sedeño, G., see De La Cruz, J.P. (800) 136
Sedgwick, J., see Fatemi, S.H. (800) 1
Seidler, F.J., see Slotkin, T.A. (800) 236
Sidwell, R., see Fatemi, S.H. (800) 1
Sieler, D., see Poelchen, W. (800) 170
Singh, I.N., Sorrentino, G., Sitar, D.S. and Kanfer, J.N.
(−)Nicotine inhibits the activations of phospholipases A2 and D by amyloid β peptide (800) 275
Sitar, D.S., see Singh, I.N. (800) 275
Slotkin, T.A., Zhang, J., McCook, E.C. and Seidler, F.J.
Glucocorticoid-targeting of the adenylyl cyclase signaling pathway in the cerebellum of young vs. aged rats (800) 236
Smith, R.A., see Jones, P.A. (800) 328
Soldo, B.L., Proctor, W.R. and Dunwiddie, T.V.
Ethanol selectively enhances the hyperpolarizing component of neocortical neuronal responses to locally applied GABA (800) 187
Sorrentino, G., see Singh, I.N. (800) 275
Spruijt, B.M., see Biessels, G.-J. (800) 125
Stone, T.W., see Jones, P.A. (800) 328
Swain, R.A., see Klintsova, A.Y. (800) 48

Takigawa, M., see Imamura, S.-i. (800) 323
Takita, K., Herlenius, E., Lindahl, S.G.E. and Yamamoto, Y.
Age- and temperature-dependent effects of opioids on medulla oblongata respiratory activity: an in vitro study in newborn rat (800) 308
Tanaka, S., see Imamura, S.-i. (800) 323
Thuras, P., see Fatemi, S.H. (800) 1
Tojo, H., see Imamura, S.-i. (800) 323
Turek, F.W., see Challet, E. (800) 32

Uetsuhara, K., see Imamura, S.-i. (800) 323
Urban, I.J.A., see Biessels, G.-J. (800) 125

Vanderwolf, C.H., see Zibrowski, E.M. (800) 207
Villalobos, M.A., see De La Cruz, J.P. (800) 136
Volosin, M., see Calvo, N. (800) 227

Wang, F.-B., see Liu, H.-G. (800) 216
Waraczynski, M. and Perkins, M.
Lesions of pontomesencephalic cholinergic nuclei do not substantially disrupt the reward value of medial forebrain bundle stimulation (800) 154
Wei, D., Maisonneuve, I.M., Kuehne, M.E. and Glick, S.D.
Acute iboga alkaloid effects on extracellular serotonin (5-HT) levels in nucleus accumbens and striatum in rats (800) 260
Wigström, H., see Niu, Y.-P. (800) 253
Wiley, R.G., see Zhang, Z.-J. (800) 198
Wrenn, C.C., see Zhang, Z.-J. (800) 198

Xiao, M.-Y., see Niu, Y.-P. (800) 253

Yamada, K., see Katano, H. (800) 69
Yamamoto, M., see Ino-ue, M. (800) 319
Yamamoto, Y., see Takita, K. (800) 308

Zhang, J., see Slotkin, T.A. (800) 236
Zhang, Z.-J., Lappi, D.A., Wrenn, C.C., Milner, T.A. and Wiley, R.G.
Selective lesion of the cholinergic basal forebrain causes a loss of cortical neuropeptide Y and somatostatin neurons (800) 198
Zibrowski, E.M., Hoh, T.E. and Vanderwolf, C.H.
Fast wave activity in the rat rhinencephalon: elicitation by the odors of phytochemicals, organic solvents, and a rodent predator (800) 207
Zimmermann, J.P., see Alexiou, Ch. (800) 294